E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

IN THE IOWA DISTRICT COURT FOR MARION COUNTY

STATE OF IOWA, ex rel., BRENNA BIRD, ATTORNEY GENERAL OF IOWA (99AG23112) Plaintiff, v. VAN DEN BROEK CONCRETE, INC., Defendant.	Case No. EQCV098298 **APPLICATION CLAIMING CONTEMPT FOR VIOLATING COURT ORDER**

COMES NOW Plaintiff State of Iowa, ex rel., Brenna Bird, Attorney General of Iowa, pursuant to Iowa Code chapter 665, and requests that Defendant Van Den Broek Concrete, Inc., be held in contempt of Court. In support of this application plaintiff states:

Introduction

1. This action arises out of Defendant Van Den Broek Concrete, Inc., ("Van Den Broek") repeated failure to comply with Iowa's "One Call" statute, Iowa Code chapter 480.

2. The State of Iowa has brought two prior enforcement actions against Van Den Broek for violations of Iowa's One Call law.

3. On May 25, 2021, the Iowa District Court in Marion County (Case No. EQCV097578) issued a Consent Order, Judgement and Decree, assessing Van Den Broek a civil penalty of $7,000.00 for conducting excavations on multiple occasions without providing 48-hours' notice of the planned excavations to the owners and operators of underground facilities in violation of Iowa's One Call statute and permanently enjoining Van Den Broek from further violations of Iowa's One Call statute. A copy of the Order is attached hereto as Exhibit A.

4. On August 31, 2023, the Iowa District Court in Marion County (Case No.

EQCV098298) issued a Consent Order, Judgement and Decree, assessing Van Den Broek a civil penalty of $15,000.00 for conducting excavations on multiple occasions without providing 48-hours' notice of the planned excavations to the owners and operators of underground facilities in violation of Iowa's One Call statute and permanently enjoining Van Den Broek from further violations of Iowa's One Call statute. A copy of the Order is attached hereto as Exhibit B.

5. The violations addressed in the 2021 and 2023 Consent Orders (collectively referred to as "Orders") involved similar fact patterns: 1) Van Den Broek places a locate request for a planned excavation; and 2) Van Den Broek commences the excavation prior to the expiration of the forty-eight-hour time period within which owners and operators of underground facilities are required to locate and mark their facilities. Accordingly, Van Den Broek fails to provide the required 48-hours' notice to operators of underground facilities in violation of Iowa's One Call law. *See* Iowa Code § 480.4(1)(a) (2024) ("This notice must be given at least forty-eight hours prior to the commencement of the excavation, excluding Saturdays, Sundays, and legal holidays.").[1]

Current Violation

6. Van Den Broek conducted an excavation in a similar manner in violation of Iowa's One Call law and the permanent injunctions contained in the Orders less than one year after the 2023 Consent Order.

7. On or about April 13, 2024, Van Den Broek conducted excavations to remove and replace a driveway at 1020 Edgewater Dr. in Pella, Iowa. *See* Exhibit C, ¶ 3, Affidavit of Greg

[1] During the 2024 legislative session, Iowa passed HF 2581, which made various changes to the requirements in Iowa Code chapter 480, but none of those changes would materially affect the outcome in this case. *See* Iowa Code § 480.4(1)(a) (2025) ("prior to any excavation, an excavator shall contact the statewide notification center and provide notice of the planned excavation occurring after a forty-eight-hour period."); Iowa Code § 480.1(6) (2025) (defining "forty-eight-hour period" as "a period of forty-eight consecutive hours beginning at 6:00a.m. the next business day from the day the notification center receives a notice and excludes Saturdays, Sundays, and legal holidays.").

Witzenburg.

8. Van Den Broek placed a locate request for the excavation (Ticket No. 241020010) on April 11, 2024, at 3:48 a.m., with a notification that locate markings must be completed by—and the excavation cannot commence before—April 15, 2024, at 8:00 a.m. *Id*. at ¶ 5.

9. The City of Pella ("City") is the owner and operator of two separate underground electrical facilities operating at 7200 volts and 240 volts, respectively, and supplying power to 37 homes, which ran underground in the vicinity of where the excavation occurred. *Id*. at ¶ 6.

10. When the City showed up to mark their underground facilities, City staff observed that Van Den Broek had already commenced the excavation to remove the existing driveway, prep the ground for the new driveway, and was pouring concrete for the new driveway, and Cornie Van Den Broek admitted to beginning the excavation on April 13, 2024. *Id*. at ¶ 7.

11. City staff determined that the excavation occurred directly over the electrical underground facilities. *Id*. at ¶ 8.

12. Digging to remove and replace concrete constitutes an "excavation" as defined in Iowa Code section 480.1(4).

13. At all material times hereto, Van Den Broek was an "excavator" as defined in Iowa Code section 480.1(5).

14. A buried underground electrical line is an "underground facility" as defined in Iowa Code section 480.1(12).[2]

15. At all material times hereto, there was no "emergency," as defined in Iowa Code section 480.1(3), that would exempt Van Den Broek from the requirement that it contact the

[2] Prior to HF 2581 (2024), "underground facility" was defined in Iowa Code section 480.1(10), but HF 2581 did not change the definition.

statewide notification center provide 48-hours' notice of the planned excavation.

16. Van Den Broek's willful failure to 48-hours' notice of the planned excavation constitutes a violation of this Court's prior Orders.

WHEREFORE, Plaintiff State of Iowa, ex rel., Brenna Bird, Attorney General of Iowa, respectfully requests the Court enter an order requiring Defendant Van Den Broek Concrete, Inc., to appear and show cause why it should not be held in contempt for violation of the Court's 2023 Order. Plaintiff further requests that the hearing be held forthwith and that Defendant thereupon be ordered to comply with the Court's Order, and that Defendant be punished for contempt as provided by Iowa Code chapter 665.

Respectfully submitted,

BRENNA BIRD
Attorney General of Iowa

/s/ Jacob J. Larson
JACOB J. LARSON
Assistant Attorney General
Office of Iowa Attorney General
Hoover State Office Building
1305 E. Walnut Street, 2nd Floor
Des Moines, Iowa 50319
Phone: (515) 281-5341
Fax: (515) 281-4209
E-mail: jacob.larson@ag.iowa.gov
ATTORNEYS FOR PLAINTIFF

CERTIFICATE OF SERVICE
The undersigned hereby certifies that a true copy of the foregoing document was electronically filed with the Clerk of Court. Notice of this filing will be sent automatically to all parties who are registered users of the Court's electronic case filing system. Parties may access this filing through the Court's system.

The undersigned hereby certifies that a true copy of the foregoing document attached to this Certificate was:
_____ personally delivered
___X___ sent regular mail
_____ sent via fax

to each party of record addressed as follows:

CORNIE VAN DEN BROEK
1444 Fisher Ave.
New Sharon, Iowa 50207
DEFENDANT

on this 27th day of January, 2026

_____/s/ Josie Bollman_____

IN THE IOWA DISTRICT COURT FOR MARION COUNTY

STATE OF IOWA, ex rel., THOMAS J. MILLER, ATTORNEY GENERAL OF IOWA (99AG23112), Plaintiff, vs. VAN DEN BROEK CONCRETE, INC., Defendant.	CASE NO. EQCV097578 **CONSENT ORDER, JUDGMENT AND DECREE**

The Court is presented with the Plaintiff's Petition in Equity seeking civil penalties and injunctive relief pursuant to Iowa Code sections 480.6 and 480.7. The Court having read the Petition in Equity and being otherwise advised by the parties FINDS:

1. The Court has jurisdiction of the parties and the subject matter of this action and the parties consent to entry of this Consent Order, Judgment and Decree.

2. Defendant Van Den Broek Concrete, Inc. ("Van Den Broek"), having reviewed the Petition in Equity, admits each and every allegation contained in the Petition in Equity.

THEREFORE, IT IS HEREBY ORDERED, ADJUDGED AND DECREED:

3. Defendant Van Den Broek is assessed a civil penalty of Seven Thousand and no/100 Dollars ($7,000.00) for the violations admitted herein. Defendant shall pay the penalty immediately upon entry of this Consent Decree. The Defendant shall also pay interest pursuant to Iowa Code section 535.3(1) on any amounts not paid when due. Payment of the civil penalty and any interest shall be made payable to the "State of Iowa" and sent to Plaintiff's attorney,

EXHIBIT A

Jacob Larson, Attorney General's Office, Environmental Law Division, Hoover Building 2nd Floor, 1305 E. Walnut St., Des Moines, Iowa 50319.

4. Defendant Van Den Broek and its employees are permanently enjoined from commencing any non-emergency excavation in the State of Iowa, without first contacting the statewide notification center at its toll-free number (1-800-292-8989 or 811), at least 48 hours prior to the planned excavation, excluding weekends and legal holidays, as required by Iowa Code sections 480.1A and 480.4(1)(a), and providing the information required by Iowa Code sections 480.4(1)(b)(1)-(8) and 480.4(1)(c)(1)-(8), and the defendant is further enjoined from commencing any excavation except under the schedule and pursuant to the terms of each such notification.

5. Defendant Van Den Broek and its employees are permanently enjoined from failing to notify the operator of damage to an underground facility and from backfilling over the damaged underground facility, as required by Iowa Code section 480.5.

6. The Court retains jurisdiction of this matter to insure compliance with the terms of this Order.

7. The costs of this action are taxed to Defendant in the amount of $195.00.

State of Iowa Courts

Case Number	**Case Title**
EQCV097578	STATE OF IOWA V. VANDENBROEK CONCRETE
Type:	ORDER FOR JUDGMENT

So Ordered

Patrick W. Greenwood, District Court Judge,
Fifth Judicial District of Iowa

Electronically signed on 2021-05-25 11:28:09

IN THE IOWA DISTRICT COURT FOR MARION COUNTY

STATE OF IOWA, ex rel., BRENNA BIRD, ATTORNEY GENERAL OF IOWA (99AG23112), Plaintiff, vs. VAN DEN BROEK CONCRETE, INC., Defendant.	CASE NO. EQCV098298 **CONSENT ORDER, JUDGMENT AND DECREE**

The Court is presented with the Plaintiff's Petition in Equity seeking civil penalties and injunctive relief pursuant to Iowa Code sections 480.6 and 480.7. The Court having read the Petition in Equity and being otherwise advised by the parties FINDS:

1. The Court has jurisdiction of the parties and the subject matter of this action and the parties' consent to entry of this Consent Order, Judgment and Decree.

2. Defendant Van Den Broek Concrete, Inc. ("Van Den Broek"), having reviewed the Petition in Equity, admits each and every allegation contained in the Petition in Equity.

THEREFORE, IT IS HEREBY ORDERED, ADJUDGED AND DECREED:

3. Defendant Van Den Broek is assessed a civil penalty of Fifteen Thousand and no/100 Dollars ($15,000.00) for the violations admitted herein. Defendant shall pay the penalty immediately upon entry of this Consent Decree. The Defendant shall also pay interest pursuant to Iowa Code section 535.3(1) on any amounts not paid when due. Payment of the civil penalty and any interest shall be made payable to the "State of Iowa" and sent to Plaintiff's attorney,

EXHIBIT B

Jacob Larson, Attorney General's Office, Environmental Law Division, Hoover Building 2nd Floor, 1305 E. Walnut St., Des Moines, Iowa 50319.

4. Defendant Van Den Broek and its employees are permanently enjoined from commencing any non-emergency excavation in the State of Iowa, without first contacting the statewide notification center at its toll-free number (1-800-292-8989 or 811), at least 48 hours prior to the planned excavation, excluding weekends and legal holidays, as required by Iowa Code sections 480.1A and 480.4(1)(a), and providing the information required by Iowa Code sections 480.4(1)(b)(1)-(8) and 480.4(1)(c)(1)-(8), and the defendant is further enjoined from commencing any excavation except under the schedule and pursuant to the terms of each such notification.

5. The Court retains jurisdiction of this matter to ensure compliance with the terms of this Order.

6. The costs of this action are taxed to Defendant.

State of Iowa Courts

Case Number	**Case Title**
EQCV098298	STATE OF IOWA V. VAN DEN BROEK CONCRETE, INC.
Type:	ORDER FOR JUDGMENT

So Ordered

Dustria A. Relph, District Court Judge,
Fifth Judicial District of Iowa

Electronically signed on 2023-08-31 11:33:00

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

IN THE IOWA DISTRICT COURT FOR MARION COUNTY

STATE OF IOWA, ex rel., BRENNA BIRD, ATTORNEY GENERAL OF IOWA (99AG23112) Plaintiff, vs. VAN DEN BROEK CONCRETE, INC., Defendant.	CASE NO. EQCV098298 **AFFIDAVIT OF GREG WITZENBURG**

STATE OF IOWA)
) ss.
COUNTY OF POLK)

I, Greg Witzenburg, being first duly sworn, do hereby depose and state as follows:

1. I am employed by the Iowa Utilities Commission ("IUC") as a One Call Investigator/Pipeline Inspector with the Safety & Engineering Bureau at the IUC, located in Des Moines, Iowa. In connection with my duties, I investigate complaints about violations of Iowa's One Call law, chapter 480.

2. In connection with my duties with the IUC, I am familiar with Defendants Van Den Broek Concrete, Inc. ("Van Den Broek"), and the alleged One Call violation.

3. On April 19, 2024, the IUC received a complaint alleging Van Den Broek conducted an excavation to remove and replace a driveway at 1020 Edgewater Dr. in Pella, Iowa, in violation of Iowa's One Call law. *See* Exhibit 1, IUC Summary of Investigation: Docket No. DIG-2024-0006 (May 21, 2024).

4. The IUC then conducted an investigation of the complaint, including seeking responses to a questionnaire from the complainant and Van Den Broek. *Id.*

EXHIBIT C

5. Van Den Broek placed a locate request for the excavation (Ticket No. 241020010) on April 11, 2024, at 3:48 a.m., with a notification that locate markings must be completed by—and the excavation cannot commence before—April 15, 2024, at 8:00 a.m. Exhibit 2, Iowa One Call Locate Request (Ticket No. 241020010).

6. The City of Pella ("City") is the owner and operator of two separate underground electrical operating at 7200 volts and 240 volts, respectively, and supplying power to 37 homes, which ran underground in the vicinity of where the excavation occurred. Exhibit 3, Iowa One Call Complaint (April 18, 2024).

7. When the City showed up to mark their underground facilities, City staff observed that Van Den Broek had already commenced the excavation to remove the existing driveway, prep the ground for the new driveway, and was pouring concrete for the new driveway, and Cornie Van Den Broek admitted to beginning the excavation on April 13, 2024. *Id.*; *see also* Exhibit 4, Cornie Van Den Broek response to Iowa One Call Questionnaire (May 7, 2024).

8. City staff determined that the excavation occurred directly over the electrical underground facilities. Exhibit 3.

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

GREG WITZENBURG

SUBSCRIBED and SWORN to before me on this 8th day of September, 2025.

NOTARY PUBLIC in and for the State of Iowa

My commission expires September 11, 2025.

9/11/2025

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

SUMMARY OF INVESTIGATION
Docket No. DIG-2024-0006
May 21, 2024

Complaint Summary

On April 19, 2024, the Iowa Utilities Board (IUB) began investigating a potential violation of Iowa's One Call law, pursuant to Iowa Code chapter 480. The Attorney General's Office forwarded a complaint from the City of Pella (Pella) claiming that Vandenbroek Concrete (Vandenbroek) completed an excavation prior to the end of the 48-hour marking period before all utilities were properly marked.

Complaint Documents

Pella states in the complaint that Vandebroek completed removal of dirt and sod for a driveway addition at 1020 Edgewater Dr. in Pella, Iowa, and that the work was completed within the 48-hour marking period. The locate issued by Vandenbroek had been put in on April 11, 2024, at 3:48 a.m. The area where the excavation was completed had two separate electrical facilities underground operating at 7200 volts and 240 volts supplying 37 homes, and directly over the electrical underground facility.

Pella claims the excavation work was completed by Vandenbroek on April 13, 2024, and the pouring of the concrete for the driveway addition was already present.

Pella states Vandenbroek stated they completed all of the digging and forming for the concrete work on April 13, 2024.

An image attached to the complaint shows a GPS image where the electrical underground facility was directly located.

One Call Ticket No. 241020010 was issued by Vandenbroek on April 11, 2024, at 3:48 a.m. with the 48-hour marking period ending April 15, 2024, 8:00 a.m. Purpose of work was to remove sod and dirt and install driveway addition at 1020 Edgewater Dr. in Pella.

IUB Staff sent Initial Letters, complaint documents, a One Call Investigation Questionnaire (Questionnaire), and Iowa One Call Ticket No. 241020010 to Pella on May 1, 2024, with a requested response date of no later than May 21, 2024. Vandenbroek requested all items by mail to their address. An Information Mailing letter was sent on May 1, 2024, with all other material.

EXHIBIT 1

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Vandenbroek's Response

On May 7, 2024, Vandenbroek provided its response by mail with a Questionnaire.

Vandenbroek states the utilities were uncovered and identified, but does not state which utilities and the distance between the underground facility and the excavation.

One Call Ticket No. 241020010 is identified in the Questionnaire, and Vandenbroek states, "the call was made 3:48 AM April 11th. I started late on April 13th 2:30PM."

Completed by,

Ryan Martin

Digitally signed by Ryan Martin
Date: 2024.05.21 10:26:29 -05'00'

Ryan Martin
Investigator
Iowa Utilities Board

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Iowa One Call

Ticket No: 241020010

Original Call Date: 04/11/24 03:48 am
COMPLIANT
Locates shall be completed no later than: 04/15/24 08:00 am
Beginning Work Date: 04/15/24 08:00 am
Op: witaka
Duration: 2 DAYS
Op: witaka
Expiration Date: 04/30/24

CALLER INFORMATION
Caller Name: CORNIE VANDENBROEK
Phone: 641-660-0109

Excavator Information
Excavator Name: VANDENBROEK CONCRETE
Phone:
Address: 1444 FISHER AVE NEW SHARON, IA 50207
Fax Phone:
Best Time: **AM: PM: After 5:00:** Y
Contact Email:
Onsite Contact: CORNIE VANDENBROEK
Phone:

Excavation Information
Type of Work: REMOVE SOD AND DIRT AND INSTALL DRIVEWAY ADDITION
Work Being Done For: NATE GALLENGER
Trenching:
Boring:
Plowing:
Backhoe:
Blasting: N
Other: Y
Marked in White: N

DIG SITE LOCATION
County: MARION
City: PELLA
City Limits: Y
Address: 1020 EDGEWATER DR
At: W 3RD ST
Location of Work: MARK THE ENTIRE FRONT OF THE PROPERTY
Remarks:
Coordinates for each location:

EXHIBIT 2

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Polygon 1:
(41.4262767, -92.9244493)
(41.4273526, -92.9245753)
(41.4274996, -92.9245123)
(41.4273905, -92.9239205)
(41.4263952, -92.9236875)

MEMBERS NOTIFIED

District	Company Name	Status
ASW	ALLIANT ENERGY	Marked
PCE	PELLA COOPERATIVE ELECTRIC	Clear
PEA	PELLA MUNICIPAL ELECTRIC UTIL.	Marked
PEA01	PELLA WATER TREATMENT	Marked
PEF	PELLA FIBER	Marked
TC4	MEDIACOM L.L.C.	Marked
WINIA	WINDSTREAM COMMUNICATIONS	Marked

Legend: Locate Polygon

Lat/Lon

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT



E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

IOWA

Martin, Ryan <ryan.martin@iub.iowa.gov>

Vandenbroeck Concrete Complaint

Cripps, Kylie <Kylie.Cripps@ag.iowa.gov> Fri, Apr 19, 2024 at 10:39 AM
To: "Faber, Ryan [IUB]" <ryan.faber@iub.iowa.gov>, IUB Customer <customer@iub.iowa.gov>, "Larson, Jacob [AG]" <Jacob.Larson@ag.iowa.gov>, "Martin, Ryan [IUB]" <ryan.martin@iub.iowa.gov>, "Wright, Carter [IUB]" <Carter.Wright@iub.iowa.gov>, "Yearington, Kevin [IUB]" <Kevin.Yearington@iub.iowa.gov>

Ryan,

Attached is a one call complaint the AG's Office received. Can you have IUB staff investigate the complaint to see if there was compliance with Iowa's One Call law?

Please let me know if you have any questions. Thanks.

Kylie Cripps
Paralegal

Environmental Law Division

Consumer Protection Division
Office of the Attorney General of Iowa
1305 E. Walnut St.

Des Moines, Iowa 50319

Main: (515) 281-5926 | Direct: (515) 281-6414
Email: kylie.cripps@ag.iowa.gov | www.iowaattorneygeneral.gov

-

CONFIDENTIALITY NOTICE: This email message (including any attachments) may be confidential or protected by one or more of the following: the attorney-client privilege, attorney work product doctrine, or applicable laws. If you are not the intended recipient or have received this message in error, please: (1) do not read, print, copy, distribute or use it in any way; (2) permanently delete or destroy the message (including any attachments); and (3) notify the sender immediately by reply email or telephone. Any unintended transmission of this email message does not constitute a waiver of any applicable privilege or protection. Thank you.

2 attachments

Picture1.jpg
38K

EXHIBIT 3

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Vandenbroeck Concrete Complaint.pdf
530K

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Need Help?

Submission Forms

Submission Data

Submitted on April 18, 2024 10:32 AM from www.iowaattorneygeneral.gov/onecall/onecall-complaints-and-enforcement/onecall-excavation-online-complaint-form **(Remote Address: 142.202.125.220)**

Excavation date, time & location

Date of planned excavation:

04/11/2024

Time of planned excavation:

8:00AM

Location of excavation:

1020 Edgewater Dr

Excavator information

Name of excavator or excavation company:

Vandenbroek Concrete

Address of excavator or excavating company:

1444 Fisher Ave New Sharon, IA, 50207

Excavation purpose and activity

Purpose of excavation as stated by excavator:

Remove Sod and Dirt and install Driveway Addition.

Description of excavation activity:

Underground utilities & damage

Underground Facility/Facilities Near Excavation:

Electric or communications line

Underground line description:

Located directly in the scope of work are 2 separate electrical underground electric lines. The first is a single-phase primary line energized at 7200 volts, the second is a PED feed that is triplex energized at 240 volts.

Did excavator submit One Call locate request?

Yes/No:

Yes

Date of One Call locate request:

04/11/2024

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

Time of One Call locate request (if known):

03:48AM

Nature of One Call violations

Nature of One Call violations:

Excavation of dirt was completed on 04/13/24(per contractor) prior to ticket being due. When we arrived on site to locate the property, the pouring of concrete had already started.

Description of underground utility

Description of underground utility:

Electric or communications lines

Description of underground lines:

Located directly in the scope of work are 2 separate electrical underground electric lines. The first is a single-phase primary line energized at 7200 volts this completes a loop inside of the Foutain Hills Development supplying 37 property's electricity, the second is a PED feed that is triplex energized at 240 volts this comes directly from a transformer into a flush mount hand hole providing power to two houses.

Distance between underground utility and excavation at closest point

Distance between underground utility and excavation at closest point:

grade was removed directly on top of the utilites.

Description of costs associated with repairs and/or service interruptions

Description of costs associated with repairs and/or service interruptions:

0

Description of any special dangers due to excavation

Description of any special dangers due to excavation:

Failure to spot primary wires at 7200 volts could result in large outage, and potential fatality.

Document and photo attachments

Document and photo attachments:

Vandenbrook_concrete_photos_47207B524B728.docx

Excavator statements/admissions

Excavator statements/admissions:

I spoke with the owner of Vandenbroek Concrete 04/15/24, Cornie had questions about the representative from the electric department taking pictures of the jobsite. Cornie admitted he did all of the digging, and forming of the job for concrete on 04/13/24, besides the digging of the Sona tube.

Underground facility owner/operator

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

VANDENBROEK CONCRETE INC
1444 FISHER AVE
NEW SHARON IA 50207

DES MOINES IA 500
4 MAY 2024 PM 4 L

Iowa Utilities Board
1375 E. Court Ave.
Des Moines, Ia. 50319-0069

RECEIVED
MAY 07 2024
IOWA UTILITIES BOARD

50319-502099

EXHIBIT 4

RECEIVED
MAY 07 2024
IOWA UTILITIES BOARD

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

ONE CALL Investigation Questionnaire

Use of this form is optional, but will help with an ongoing Iowa One Call Investigation.

1. **If you have provided this information elsewhere, you do not need to provide it again.**
2. **You may leave questions unanswered, if necessary.**

1. **Docket Number:** (Found in the title of the Initial Letter email)
   DIG – 2024 – 00004
2. **Associated Iowa One Call ticket number(s) not already identified within the investigation:** (Ticket #, Type of ticket (Original, Dig-in, Non-Response)

3. **Suspected One Call violations:** (example: Located outside of 48 hour of issuance of ticket by Johns Electric)

4. **Were utilities uncovered and identified?** ☒ YES ☐ NO
   - Distance between the underground facility and excavation at the closest point:
   - Description of underground facility (type of line, size, operating psi. etc..)

5. Were locates completed? ☒ YES ☐ NO
   - Distance Between locate markings and the excavation site at the closest point:

1020 Edgewater Dr.
ticket # 241-020-010

E-FILED 2026 JAN 27 10:51 AM MARION - CLERK OF DISTRICT COURT

6. Was there any damage to an underground facility? ☐ YES ☒ NO
   - Detailed description of the damages:

7. Were there any service interruptions caused by the damage? ☐ YES ☐ NO
   - Detailed description of the interruptions:
   (How many customers, time-frame, what type of customer (i.e school, bank, city hall))

8. Photos or other documents which pertain to the excavation or suspected One Call Violation. **(photo file name, Description of picture, orientation of photo (such as facing North)**

9. Additional information:

the call was made 3:48 AM April 11th
I started late April 13th 2:30 pm.